

Material Safety Data Sheet

BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: *BIOGUARD® BURNOUT®*

Chemical nature: Preparation

Company: Manufacturer
BioLab, Inc. a Chemtura Company
1725 North Brown Road
Lawrenceville, GA
30043

Supplier
Bio-Lab Canada, Inc.
P.O. Box 245
West Hill, ON
M1E 4Y9

Telephone: 888-645-7946

Emergency telephone number: Poison Control Center (Medical) :: (877) 800-5553
CANUTEC: (24 hours) 613-996-6666 (call collect)
: 1-888-640-7946
Customer Care: 800-998-7946

For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Prepared by Product Safety Department

01/01/2014

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

DANGER!

Form: granules Colour: white Odour: Chlorine

Hazard Summary :
Oxidizer
Risk of serious damage to eyes.
May be fatal if swallowed.
Causes burns.
Harmful if inhaled.
Harmful if absorbed through skin.
Harmful: possible risk of irreversible effects in contact with skin and if swallowed.
Avoid breathing dust or vapor.
Causes respiratory tract irritation.
Do not get in eyes, on skin, or on clothing.
May cause allergic skin reaction.

Material Safety Data Sheet

BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

WHMIS Classification : C: Oxidizing Material
E: Corrosive Material
D2B: Toxic Material Causing Other Toxic Effects

Potential Health Effects

Aggravated Medical Condition : Respiratory disorder
Skin disorders

Inhalation : Irritating to respiratory system.

Skin : On contact with moisture, this material readily hydrolyzes to acid which may result in burns if not promptly removed.
Harmful if absorbed through skin.

Eyes : Causes serious eye damage.

Ingestion : May be fatal if swallowed.

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component / CAS-No.	Weight percent
calcium hypochlorite 7778-54-3	57.8 %
calcium dihydroxide 1305-62-0	< 5 %
calcium carbonate 471-34-1	< 5 %

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation : Move to fresh air.
If not breathing, give artificial respiration.
Call a POISON CENTER or doctor/ physician.
Get medical attention immediately.

Skin contact : Remove/Take off immediately all contaminated clothing.
Wash off immediately with plenty of water for at least 15 minutes.

Material Safety Data Sheet

BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

- Eye contact : Call a POISON CENTER or doctor/ physician.
: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a POISON CENTER or doctor/ physician.
- Ingestion : Call a physician or poison control centre immediately.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Have person sip a glass of water if able to swallow.
Never give anything by mouth to an unconscious person.

Notes to physician

- Treatment : Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

- Flash point : Remarks: not applicable

Fire fighting

- Suitable extinguishing media : Water
Flood with large volumes of water.
- Unsuitable extinguishing media : ABC powder
Dry chemical
Risk of violent reaction.
- Further information : Do not let fire burn.
Contact with combustible material may cause fire.

Protective equipment and precautions for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Thoroughly decontaminate fire fighting equipment including all fire fighting wearing apparel after the incident.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Environmental precautions : Avoid release to the environment.
- Methods for containment / Methods for cleaning up : Wear suitable protective clothing, gloves and eye/face protection.
Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean dry containers for disposal.
Do not flush into surface water or sanitary sewer system.
Do not add water to spilled material.
Shovel into suitable container for disposal.
Do not close containers containing wet or damp material. They should be left open to disperse any hazardous gases that may form.

Material Safety Data Sheet

BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

Additional advice : Do not use floor sweeping compounds to clean up spills.
Do not transport wet or damp material.

SECTION 7. HANDLING AND STORAGE

Handling

Handling procedures : Avoid contact with skin and eyes.
Use only in area provided with appropriate exhaust ventilation.
Use only clean and dry utensils.
Do not breathe vapours/dust.
Mix only with water.
Never add water to this product.
Always add product to large quantities of water.
Do not mix with other chemicals.
Wash thoroughly after handling.
In case of contamination or decomposition, do not reseal container.
If possible, isolate container in open air or well-ventilated area.
Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion.
Do not handle until all safety precautions have been read and understood.
Contains a strong oxidizing agent.
Do not add this product to any dispensing devices containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion.

Storage

Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep only in the original container.
Keep container closed when not in use.
Keep away from heat and open flame.
Protect from moisture.
Keep out of reach of children.
Keep away from animals.
Keep product packaging clean and free of all contamination, including other pool treatment products, acids, organic materials, nitrogen-containing compounds, oxidizers, corrosive liquids and flammable or combustible materials.
For bags: Store dry product in its original unopened bag until use. For partially used bags, fold over top of bag and secure with adhesive tape.
Shelf Life Limitations: Do not store this product where average daily temperature exceeds 95 F/35 C. Storage above this temperature may result in product decomposition, evolution of chlorine gas, and generation of heat sufficient to ignite combustible products. Shelf life is determined by storage time and temperature. Store in a cool, dry, and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten shelf life. Storage in a climate controlled area is recommended in those areas where extremes of high temperature can occur. During storage, do not allow product to come into contact with other materials including other pool treatment products, acids, organic materials, nitrogen-containing compounds, oxidizers, corrosive liquids, and flammable or combustible materials.
For bottles: Store dry product in original tightly closed container when not in use.

Further information on storage conditions : Do not allow cartons, cases or containers of product to become wet or store where they may be subject to either high humidity or moisture.
Do not store next to heat source, in direct sunlight, or elevated storage

Material Safety Data Sheet

BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

temperature. Do not store at temperatures above 95 F. Prevent ingress of humidity or moisture into the container, package or carton. Store in well ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components with workplace control parameters

Components / CAS-No.	Value / Basis / Update	Control parameters	Further information
calcium dihydroxide 1305-62-0	TWA	5 mg/m ³	
	CA AB OEL		
	2007-01-01		
	TWA	5 mg/m ³	
	CA BC OEL		
	2006-11-29		
	TWAEV	5 mg/m ³	
	CA ON OEL		
	2005-12-17		
	TWAEV	5 mg/m ³	
	CA QC OEL		
	2006-12-29		
calcium carbonate 471-34-1	TWA	10 mg/m ³	
	CA AB OEL		
	2009-04-30		
	TWAEV	10 mg/m ³	
	CA QC OEL		
	2012-11-28		

Engineering measures

Personal protective equipment

Eye protection : Goggles
or
Face-shield

Hand protection : Rubber gloves

Respiratory protection : Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).

Material Safety Data Sheet

BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

Hygiene measures : Remove and wash contaminated clothing before re-use.
Provide adequate ventilation.
Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : granules
Colour : white
Odour : Chlorine

Safety data

Flash point : Note: not applicable
pH : 10.2
Freezing point : Note: not applicable
Melting point/range : Note: no data available
Boiling point/boiling range : Note: not applicable
Vapour pressure : not applicable
Density : 1.08 g/cm³
Water solubility : ca.180 g/l
at 77 °F (25 °C)
Note: no data available
Partition coefficient: n-octanol/water : Note: no data available
Viscosity, kinematic : Note: not applicable
Relative vapour density : Note: no data available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Heat, flames and sparks.
Direct sources of heat.
Strong sunlight for prolonged periods.
If subject to excessive temperature, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances.
If product is exposed to small amount of water, it can react to produce heat and chlorine gas. Use copious amounts of water for fires involving this product.

Materials to avoid : Remarks: Avoid contact with water on concentrated material in the container. Avoid contact with easily oxidizable material; ammonia, urea, or similar nitrogen containing compounds; inorganic reducing compounds;

Material Safety Data Sheet

BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

floor sweeping compounds; chlorinated isocyanurates; other swimming pool/spa chemicals in their concentrated form; acids. Avoid contact with all other chemicals.

Do not mix with other chemicals or any other substance.

Hazardous decomposition products : Note: Oxygen
Chlorine containing gases can be produced.

Hazardous reactions : Hazardous polymerisation does not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: 1,113 mg/kg
Species: rat

Acute inhalation toxicity : Remarks: This material in the form as sold is not expected to produce respiratory effects.
If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur.
May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes.

Acute dermal toxicity : LD50: > 2,000 mg/kg
Species: rabbit

Skin irritation : Species: rabbit
Result: Corrosive
: Remarks: Direct contact with wet material or moist skin may cause severe irritation, pain and possibly burns.
: Remarks: Dry chemical
In vitro study
Non-corrosive

Eye irritation : Remarks: Causes serious eye damage.

Sensitisation : Maximisation Test
Species: guinea pig
Remarks: The results of a test on guinea pigs showed this substance to be a weak skin sensitizer.

Reproductive toxicity calcium carbonate : Species: rat
Application Route: Oral

CMR effects calcium carbonate : Teratogenicity: No effects on or via lactation

Material Safety Data Sheet

BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

Reproductive toxicity: No toxicity to reproduction

12. ECOLOGICAL INFORMATION

Toxicity to fish
calcium dihydroxide : LC50: 160 mg/l
Exposure time: 96 h

Species: Gambusia affinis (Mosquito fish)
static test

Further information on ecology

SECTION 13. DISPOSAL CONSIDERATIONS

Further information : Dispose of waste product or used containers according to local regulations.
Do not re-use empty containers. Do not contaminate ponds, waterways or ditches with chemical or used container.
Triple rinse containers. Contact with incompatible materials could cause a reaction or fire.
Discard empty container in trash. Do not put product, spilled product, or filled or partially filled containers into the trash or waste compactor.

SECTION 14. TRANSPORT INFORMATION

TDG

UN number : 2880
Description of the goods : CALCIUM HYPOCHLORITE, HYDRATED MIXTURE
Class : 5.1
Packing group : II
Labels : 5.1
Environmentally hazardous : no

IATA

UN number : 2880
Description of the goods : Calcium hypochlorite, hydrated
Class : 5.1
Packing group : II
Labels : 5.1
Environmentally hazardous : no

IMDG

UN number : 2880
Description of the goods : CALCIUM HYPOCHLORITE, HYDRATED
Class : 5.1
Packing group : II
EmS Number 1 : F-H
EmS Number 2 : S-Q

Marine pollutant : yes

Material Safety Data Sheet

BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

Environmentally hazardous : yes
CALCIUM HYPOCHLORITE MIXTURE
CALCIUM HYPOCHLORITE MIXTURE

Not recommended for shipment by air
Not regulated by DOT and TDG if shipped or transported in packaging less than 400KG by road and/or rail.

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : C
E
D2B

The components of this product are reported in the following inventories:

US.TSCA On TSCA Inventory

DSL All components of this product are on the Canadian DSL list.

AICS On the inventory, or in compliance with the inventory

NZIoC On the inventory, or in compliance with the inventory

ENCS Not in compliance with the inventory

KECI Not in compliance with the inventory

PICCS On the inventory, or in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

HMIS Classification : Health hazard: 3
Flammability: 0
Physical hazards: 1

Material Safety Data Sheet


BIOGUARD® BURNOUT®

Version: 1.5

Revision Date: 01/01/2014

Print Date: 10/31/2014

NFPA Classification : Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 1
Specific hazards: OX Class 1
Oxidizer.



Other Emergency Phone Number

<u>Latin America:</u>	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
<u>Mexico:</u>		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.